

Due to the harmonization of phytosanitary regulations within the European Union, plant quarantine organisms in Latvia are determined in accordance with **Council Directive 2000/29/EC of 8 May 2000 on protective measures against the introduction into the Community of organisms harmful to plants or plant products and against their spread within the Community.**

Plant quarantine organisms are listed in [Directive 2000/29/EC](#).

List of plant quarantine organisms identified in Latvia
(By National Phytosanitary Laboratory of State Plant Protection Service of Latvia)

No	Name	Identified at the first time	Identified at the last time	Hosts of quarantine organism	Distribution status (ISPM 8)	Identified on/in
1.	Ditylenchus destructor	2004	2013	Flower bulbs and corms of <i>Crocus</i> spp., <i>Gladiolus</i> spp., <i>Hyacinthus</i> spp., <i>Iris</i> spp., <i>Tulipa</i> spp., intended for planting, and tubers of <i>Solanum tuberosum</i> , intended for planting	Present, only in some areas	On ware potatoes
2.	Ditylenchus dipsaci	2010	2010	Seeds and bulbs of <i>Allium ascalonicum</i> , <i>Allium cepa</i> and <i>Allium schoenoprasum</i> , intended for planting and plants of <i>Allium porrum</i> , intended for planting, bulbs and corms of <i>Camassia</i> spp., <i>Chionodoxa</i> spp., <i>Crocus flavus</i> , <i>Galanthus</i> spp., <i>Galtonia candicans</i> , <i>Hyacinthus</i> spp., <i>Ismene</i> spp., <i>Muscari</i> spp., <i>Narcissus</i> spp., <i>Ornithogalum</i> spp., <i>Puschkinia</i> spp., <i>Scilla</i> spp., <i>Tulipa</i> spp., intended for	Present, only in some areas	On plants intended for planting

				planting, and seeds of <i>Medicago sativa</i>		
3.	<i>Globodera rostochiensis</i>	1949	2013	<i>Solanum tuberosum</i> , <i>Lycopersicon esculentum</i> , <i>Solanum melongena</i>	Present, in all parts of the area	In field where was planned to plant potatoes
4.	<i>Puccinia horiana</i>	2000	2013	Plants of <i>Dendranthema</i> spp., intended for planting	Present, only in some areas where host crops are grown (in production sites)	In production sites
5.	<i>Diaporthe vaccinii</i>	2002	2011	Plants of <i>Vaccinium</i> spp., intended for planting	Present, only in some areas where host crops are grown	In production sites
6.	<i>Synchytrium endobioticum</i>	1948	2005	<i>Solanum tuberosum</i>	Present, in all parts of the area; under eradication	In field where was planned to plant potatoes
7.	<i>Scirrhia pini</i> (<i>Mycosphaerella pini</i>)	2009	2013	Plants of <i>Pinus</i> spp., intended for planting	Present, only in some areas	On plants intended for planting
8.	<i>Scirrhia acicola</i> (<i>Mycosphaerella dearnessii</i>)	2012	2012	Plants of <i>Pinus</i> spp.	Present, only in some areas	In green areas

9.	<u>Erwinia amylovora</u>	2007	2013	Plants of <i>Amelanchier</i> spp., <i>Chaenomeles</i> spp., <i>Cotoneaster</i> spp., <i>Crataegus</i> spp., <i>Cydonia</i> spp., <i>Eriobotrya</i> spp., <i>Malus</i> spp., <i>Mespilus</i> spp., <i>Photinia davidiana</i> , <i>Pyracantha</i> spp., <i>Pyrus</i> spp., and <i>Sorbus</i> spp.	Present, only in some areas; under eradication	In green areas, home garden, and commercial garden
10.	<u>Clavibacter michiganensis ssp. michiganensis</u>	2004	2012	Plants of <i>Lycopersicon esculentum</i> , intended for planting	Present, only in protected cultivation	On plants of <i>Lycopersicon esculentum</i> , intended for planting
11.	<u>Clavibacter michiganensis ssp. sepedonicus</u>	1998	2013	Plants of <i>Solanum tuberosum</i> , <i>Lycopersicon</i> spp., <i>Solanum melongena</i> , <i>Capsicum</i> spp.	Present, in all parts of the area	On ware potatoes
12.	<u>Plum pox potyvirus</u>	2008	2009	Plants of <i>Prunus</i> spp., intended for planting	Present, only in some areas; under eradication	In orchard
13.	<u>Pepino mosaic virus</u>	2012	2013	Plants and seeds of <i>Lycopersicon esculentum</i> , intended for planting	Present, only in some areas; under eradication	On fruits originating from European Union